

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent of:)	
	:	Examiner: Sandra L. Brase
HITOSHI KATO ET AL.)	
	:	Group Art Unit: 2852
Appln. No.: 10/714,947)	
	:	Patent No.: US 6,975,815 B2
Filed: November 18, 2003)	
	:	Issued: December 13, 2005
For: IMAGE-FORMING APPARATUS)	
THAT DETERMINES A MAINTENANCE	:	December 13, 2007
AVAILABILITY AND/OR TIME PERIOD)	

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Attention: CERTIFICATE OF CORRECTION BRANCH

REQUEST FOR CERTIFICATE OF CORRECTION
UNDER RULES 322 AND 323

Sir:

It is respectfully requested that a Certificate of Correction be issued by the Patent and Trademark Office due to errors which appear in the printed patent as a result of Patent and Trademark Office mistakes, and mistakes of a clerical, typographical, or minor character, which were not the fault of the Patent and Trademark Office. A Certificate of Correction form (Form PTO-1050) is enclosed.

The statutory fee of \$100.00 is being paid electronically. Any additional fee required by this paper may be charged, or any overpayment credited, to Deposit Account No. 06-1205.

Patentees' undersigned attorney may be reached by telephone in our Washington, D.C. office at (202) 530-1010 or by facsimile at (202) 530-1055. All correspondence should be directed to our address given below.

Respectfully submitted,

/Mark A. Williamson/

Mark A. Williamson
Attorney for Patentees
Registration No. 33,628

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3800
Facsimile: (212) 218-2200

MAW/lp:yr

Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,975,815 B2

DATED : December 13, 2005

INVENTOR(S) : Kato et al.

Page 1 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 1

Line 58, "of a" should be deleted.

COLUMN 2

Line 31, "the-shutdown" should read --the shutdown--.

COLUMN 5

Line 28, "as" should be deleted.

COLUMN 6

Line 19, "is" should read --are--.

COLUMN 7

Line 10, "involving" should read --involved--.

Line 64, "exit." should read --exit--.

COLUMN 8

Line 2, "whether" should read --either--.

Line 7, "a" should read --at a--.

Line 11, "a" should read --at a--.

Line 29, "whether" should read --either--.

Line 37, "stable" should read --staple--.

COLUMN 9

Line 57, "cover 5S2" should read --cover 552--.

COLUMN 11

Line 12, "turns" should read --turning--.

COLUMN 12

Line 53, "a" should read --as--.

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,975,815 B2

No. of add'l. copies
@ 30¢ per page



Staple
Here
Only!

PRINTER'S TRIM LINE

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,975,815 B2

DATED : December 13, 2005

INVENTOR(S) : Kato et al.

Page 2 of 2

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

COLUMN 16

Line 2, "thereof" should read --maintenance available time thereof--.

COLUMN 18

Line 42, "in," should read --in--.

COLUMN 19

Line 7, "performed" should read --performed after--.

COLUMN 22

Line 65, "Step 52301" should read --Step S2301--.

FCIS_WS 1833992v1

MAILING ADDRESS OF SENDER:

FITZPATRICK, CELLA, HARPER & SCINTO
30 Rockefeller Plaza
New York, New York 10112-3801
(212) 218-2100 - Telephone
(212) 218-2200 - Facsimile

PATENT NO. 6,975,815 B2

No. of add'l. copies
@ 30¢ per page

